



Nevada Medicaid

HIPAA Transaction

Standard Companion Guide

Refers to the Technical Report Type 3
Document

Based on ASC X12N version:
005010X223A2

Institutional Health Care Claim:

Fee-for-Service (837I)

The information in this Companion Guide is valid to use for the certification/testing to transition to the modernized MMIS and upon implementation of the MMIS Modernization Project

June 18, 2018

Medicaid Management Information System (MMIS)

Department of Health and Human Services (DHHS)

Division of Health Care Financing and Policy (DHCFP)

Disclosure Statement

The following Nevada Medicaid companion guide is intended to serve as a companion document to the corresponding Accredited Standards Committee (ASC) X12N/005010X223 Health Care Claim Institutional (837I), its related Addenda (005010X223A2), and its related Errata (005010X223E1). The companion guide further specifies the requirements to be used when preparing, submitting, receiving, and processing electronic health care administrative data. The companion guide supplements, but does not contradict, disagree, oppose, or otherwise modify the 005010X223 in a manner that will make its implementation by users to be out of compliance.

NOTE: Type 1 Technical Report Type 3 (TR3) Errata are substantive modifications, necessary to correct impediments to implementation and are identified with a letter "A" in the errata document identifier. Type 1 TR3 Errata were formerly known as Implementation Guide Addenda.

Type 2 TR3 Errata are typographical modifications and are identified with a letter "E" in the errata document identifier.

The information contained in this companion guide is subject to change. Electronic Data Interchange (EDI) submitters are advised to check the Nevada Medicaid website at <http://www.medicaid.nv.gov/providers/edi.aspx> regularly for the latest updates.

DXC Technology is the fiscal agent for Nevada Medicaid and is referred to as Nevada Medicaid throughout this document.

About DHCFP

The Nevada Department of Health and Human Services' Division of Health Care Financing and Policy (DHCFP) works in partnership with the Centers for Medicare & Medicaid Services (CMS) to assist in providing quality medical care for eligible individuals and families with low incomes and limited resources. The medical programs are known as Medicaid and Nevada Check Up.

DHCFP website: Medicaid Services Manual, rates, policy updates, public notices:
<http://dhcfp.nv.gov>.

Preface

The Health Insurance Portability and Accountability Act of 1996 (HIPAA) requires that Medicaid and all other health insurance payers in the United States comply with the Electronic Data Interchange (EDI) standards for health care as established by the Secretary of Health and Human Services.

This companion guide to the 5010 ASC X12N TR3 documents and associated errata and addenda adopted under Health Insurance Portability and Accountability Act (HIPAA) clarifies and specifies the data content when exchanging electronically with Nevada Medicaid. Transmissions based on this companion guide, used in tandem with 005010 ASC X12 TR3 documents, are compliant with both ASC X12 syntax and those guides. This companion guide is intended to convey information that is within the framework of the ASC X12N TR3 documents adopted for use

under HIPAA. The companion guide is not intended to convey information that in any way exceeds the requirements or usages of data expressed in the TR3 documents.

Table of Contents

| | | |
|-----|---|----|
| 1 | Introduction | 1 |
| 1.1 | Scope | 2 |
| 1.2 | Overview | 2 |
| 1.3 | References | 3 |
| 1.4 | Additional Information..... | 3 |
| 2 | Getting Started | 4 |
| 2.1 | Trading Partner Registration | 4 |
| 2.2 | Certification and Testing Overview..... | 5 |
| 3 | Testing with Nevada Medicaid | 6 |
| 3.1 | Testing Process..... | 6 |
| 3.2 | File Naming Standard..... | 7 |
| 3.3 | File Retention | 7 |
| 3.4 | Payer specific documentation | 7 |
| 4 | Connectivity with Nevada Medicaid/Communications..... | 8 |
| 4.1 | Process Flows | 8 |
| 4.2 | Health Care Claim and Response..... | 9 |
| 4.3 | Transmission Administrative Procedures | 9 |
| 4.4 | System Availability | 9 |
| 4.5 | Transmission File Size | 9 |
| 4.6 | Re-Transmission Procedures..... | 10 |
| 4.7 | Communication Protocol Specifications | 10 |
| 4.8 | Passwords..... | 10 |
| 5 | Contact Information..... | 12 |
| 5.1 | EDI Customer Service..... | 12 |
| 5.2 | EDI Technical Assistance..... | 12 |
| 5.3 | Customer Service/Provider Enrollment | 12 |
| 5.4 | Applicable Websites/Email | 13 |
| 6 | Control Segments/Envelopes..... | 16 |
| 6.1 | ISA-IEA | 16 |
| 6.2 | GS-GE..... | 19 |
| 6.3 | ST-SE..... | 20 |
| 6.4 | Control Segment Notes | 21 |
| 6.5 | File Delimiters..... | 21 |

| | | |
|------|---|----|
| 7 | Nevada Medicaid Specific Business Rules and Limitations | 22 |
| 7.1 | Logical File Structure..... | 22 |
| 7.2 | Compliance Checking | 22 |
| 7.3 | Dependent Data | 22 |
| 7.4 | Trading Partner | 22 |
| 7.5 | Claims with TPL | 22 |
| 7.6 | Medicare Claims with Part B Payments | 22 |
| 7.7 | Submission of Claims..... | 23 |
| 7.8 | Document Level Rejection | 23 |
| 8 | Acknowledgements and/or Reports | 24 |
| 8.1 | The TA1 Interchange Acknowledgement | 24 |
| 8.2 | The 999 Implementation Acknowledgement | 26 |
| 8.3 | Report Inventory..... | 30 |
| 9 | Trading Partner Agreements..... | 31 |
| 10 | Transaction Specific Information..... | 32 |
| 10.1 | Institutional Health Care Claims (837I)..... | 32 |
| | Appendix A: Implementation Checklist | 46 |
| | Appendix B: SNIP Edit (Compliance)..... | 47 |
| | Appendix C: Transmission Examples | 49 |
| | Appendix D: Frequently Asked Questions | 53 |

1 Introduction

This section describes how TR3 Implementation Guides, also called 837I ASC X12N (version 005010X223), adopted under HIPAA, will be detailed with the use of a table. The tables contain a Notes/Comments column for each segment that Nevada Medicaid has information additional to the TR3 Implementation Guide. That information can:

- Limit the repeat of loops, or segments.
- Limit the length of a simple data element.
- Specify a sub-set of the implementation guide’s internal code listings.
- Clarify the use of loops, segments, composite and simple data elements.
- Provide any other information tied directly to a loop, segment, and composite, or simple data element pertinent to trading electronically with Nevada Medicaid.

In addition to the row for each segment (highlighted in blue in the tables), one or more additional rows are used to describe Nevada Medicaid’s usage for composite and simple data elements and for any other information. Notes and comments should be placed at the deepest level of detail. For example, a note about a code value should be placed on a row specifically for that code value, not in a general note about the segment.

The following table specifies the columns and suggested use of the rows for the detailed description of the transaction set companion guides. The table contains a Notes/Comments column to provide additional information from Nevada Medicaid for specific segments provided by the TR3 Implementation Guide. The following is just an example of the type of information that would be spelled out or elaborated on in the Section 10: Transaction Specific Information.

| TR3 Page # | Loop ID | Reference | Name | Codes | Length | Notes/Comments |
|------------|---------|-----------|--------------------------------------|--------------------|--------|--|
| 193 | 2100C | NM1 | Subscriber Name | | | This type of row always exists to indicate that a new segment has begun. It is always shaded at 10 percent and notes or comments about the segment itself go in this cell. |
| 193 | 2100C | NM109 | Subscriber Primary Identifier | 00 | 15 | This type of row exists to limit the length of the specified data element. |
| 196 | 2100C | REF | Subscriber Additional Identification | | | |
| 197 | 2100C | REF01 | Reference Identification Qualifier | 18, 49, 6P, HJ, N6 | | These are the only codes transmitted by Nevada Medicaid Management Information System (NVMMIS). |

| TR3 Page # | Loop ID | Reference | Name | Codes | Length | Notes/Comments |
|------------|---------|-----------|---|-------|--------|--|
| | | | Plan Network Identification Number | N6 | | This type of row exists when a note for a particular code value is required. For example, this note may say that value N6 is the default. Not populating the first three columns makes it clear that the code value belongs to the row immediately above it. |
| 218 | 2110C | EB | Subscriber Eligibility or Benefit Information | | | |
| 241 | 2110C | EB13-1 | Product/Service ID Qualifier | AD | | This row illustrates how to indicate a component data element in the Reference column and also how to specify that only one code value is applicable. |

1.1 Scope

This section specifies the appropriate and recommended use of the companion guide.

This companion guide is intended for Trading Partner use in conjunction with the TR3 HIPAA 5010 837 Institutional Implementation Guide for the purpose of submitting institutional claims electronically. This companion guide is not intended to replace the TR3 Implementation Guide. The TR3 defines the national data standards, electronic format, and values for each data element within an electronic transaction. The purpose of this companion guide is to provide Trading Partners with a companion guide to communicate Nevada Medicaid-specific information required to successfully exchange transactions electronically with Nevada Medicaid. The instructions in this companion guide are not intended to be stand-alone requirements. This companion guide conforms to all the requirements of any associated ASC X12 Implementation Guide and is in conformance with ASC X12's Fair Use and Copyright statements.

The intended purpose of this document is to provide information such as registration, testing, support and specific transaction requirements to EDI Trading Partners that exchange X12 information with the Nevada Medicaid Agency.

This companion guide provides specific requirements for submitting institutional claims (837I) electronically to Nevada Medicaid.

1.2 Overview

This section specifies how to use the various sections of the document in combination with each other.

Nevada Medicaid created this companion guide for Nevada Trading Partners to supplement the X12N Implementation Guide. This guide contains Nevada Medicaid specific instructions related to the following:

- Data formats, content, codes, business rules and characteristics of the electronic transaction
- Technical requirements and transmission options
- Information on testing procedures that each Trading Partner must complete before transmitting electronic transactions

This companion guide must be used in conjunction with the TR3 instructions. The companion guide is intended to assist Trading Partners in implementing electronic 837I transactions that meet Nevada Medicaid processing standards by identifying pertinent structural and data-related requirements and recommendations. Updates to this companion guide will occur periodically and new documents will be posted on the Nevada Medicaid Provider Web Portal at <https://www.medicaid.nv.gov/providers/edi.aspx>.

1.3 References

This section specifies additional useful reference documents, for example, the X12N Implementation Guides adopted under HIPAA to which this document is a companion.

The TR3 Implementation Guide specifies in detail the required formats for transactions exchanged electronically with an insurance company, health care payer or government agency. The TR3 Implementation Guide contains requirements for the use of specific segments and specific data elements within those segments and applies to all health care providers and their Trading Partners. It is critical that your IT staff or software vendor review this document in its entirety and follow the stated requirements to exchange HIPAA-compliant files with Nevada Medicaid.

The implementation guides for X12N and all other HIPAA standard transactions are available electronically at <http://www.wpc-edi.com/>.

1.4 Additional Information

The intended audience for this document is the technical and operational staff responsible for generating, receiving and reviewing electronic health care transactions.

2 Getting Started

This section describes how to interact with Nevada Medicaid's EDI department.

The Nevada Medicaid EDI Department or Helpdesk can be contacted at (877) 638-3472 options 2, 0, and then 3, Monday through Friday, 8:00 a.m. to 5:00 p.m. Pacific Time, with the exception of Nevada State holidays. You can also send an email to nvmmis.edisupport@dxc.com

2.1 Trading Partner Registration

This section describes how to register as a Trading Partner with Nevada Medicaid.

In order to submit and/or receive transactions with Nevada Medicaid, Trading Partners must complete a Trading Partner Profile (TPP) agreement, establish connectivity and certify transactions.

- A Trading Partner is any entity (provider, billing service, clearinghouse, software vendor, etc.) that transmits electronic data to and receives electronic data from another entity. Nevada Medicaid requires all Trading Partners to complete a TPP agreement regardless of the Trading Partner type listed below
- Vendor is an entity that provides hardware, software and/or ongoing technical support for covered entities. In EDI, a vendor can be classified as a software vendor, billing or network service vendor or clearinghouse.
 - Software vendor is an entity that creates software used by billing services, clearinghouses and providers/suppliers to conduct the exchange of electronic transactions.
 - Billing service is a third party that prepares and/or submits claims for a provider.
 - Clearinghouse is a third party that submits and/or exchanges electronic transactions on behalf of a provider.

Establishing a Trading Partner Profile (TPP) agreement is a simple process which the Trading Partner completes using the Nevada Medicaid Provider Web Portal link at <https://www.medicaid.nv.gov/hcp/provider/Home/tabid/135/Default.aspx>.

Trading Partners must agree to the Nevada Medicaid Trading Partner Agreement at the end of the Trading Partner Profile enrollment process. Once the TPP application is completed, an 8-digit Trading Partner ID will be assigned.

After the TPP Agreement has been completed, the Trading Partner must submit a Secure Shell (SSH) public key file to Nevada Medicaid to complete their enrollment. Once the SSH key is received, you will be contacted to initiate the process to exchange the directory structure and authorization access on the Nevada Medicaid external SFTP servers.

Failure to provide the SSH key file to Nevada Medicaid will result in your TPP application request being rejected and you will be unable to submit transactions electronically to Nevada Medicaid. Please submit your SSH public key via email within five business days of completing the TPP application. Should you require additional assistance with information on SSH keys, please contact the Nevada EDI Helpdesk at (877) 638-3472 options 2, 0, and then 3.

2.2 Certification and Testing Overview

This section provides a general overview of what to expect during certification and testing phases.

All Trading Partners who submit electronic transactions with Nevada Medicaid will be certified through the completion of Trading Partner testing. This includes Clearinghouses, Software Vendors, Provider Groups and Managed Care Organizations (MCOs).

Providers who use a billing agent, clearinghouse or software vendor will not need to test for those electronic transactions that their entity submits on their behalf.

3 Testing with Nevada Medicaid

This section contains a detailed description of the testing phase.

Testing is conducted to ensure compliance with HIPAA guidelines. Inbound 837 transactions are validated through Strategic National Implementation Process (SNIP) Level 4. Refer to Appendix B for a list of SNIP Level 4 edits.

Testing data such as provider IDs and recipient IDs will not be provided. Users should submit recipient information and provider information as done for production as the test environment is continually updated with production information.

There is no limit to the number of files that may be submitted. Results of the system's processing of your transactions are reviewed and communicated back via email. Once the test file(s) passes EDI compliance, a production URL and Production Authorization letter will be sent confirming certification.

The following transaction types are available for testing:

- 270 Eligibility Request/271 Eligibility Response
- 276 Claim Status Request/277 Claim Status Response
- 837D Dental Claim
- 837P Professional (CMS-1500) Claim
- 837I Institutional (UB-04) Claim

3.1 Testing Process

The following points are actions that a Trading Partner will need to take before submitting production files to Nevada Medicaid:

- Enroll by using the Trading Partner Enrollment Application on the Nevada Medicaid Web Provider Portal to obtain a new Trading Partner ID
- Register on the Nevada Medicaid Web Provider Portal (optional unless submitting files via the Web Portal)
- Receive EDI Trading Partner Welcome Letter indicating Trading Partner Profile (TPP) has been approved for testing
- Submit test files using SFTP until transaction sets pass compliance testing
- Receive Production Authorization letter containing the list of approved transactions that could be submitted to the production environment along with the connection information
- Upon completion of the testing process, you may begin submitting production files for all approved transactions via the Nevada Medicaid Provider Web Portal or SFTP

To begin the testing process, please review the Nevada Medicaid Trading Partner User Guide located at: <https://www.medicaid.nv.gov/providers/edi.aspx>.

3.2 File Naming Standard

Use the following naming standards when submitting files to Nevada Medicaid:

- Trading Partner ID = 8-digit assigned, example -- 01234567
- Filetype = transaction type, example -- 270, 276, 837P, 837D, 837I
- UniqueID = any unique ANSI qualifier, example -- DATETIMESTAMP [CCYYMMDDHHMMSSS as 201808301140512]

Here are some examples of good file naming standards:

- 01234567_837I_201708301140512.dat
- 01234567_837I_TRANS01_20170830.dat
- 01234567_837I_SMALL_FILE_2017_08.txt

The preferred extension is .dat; however, .txt is also allowed. Zip files (.zip) may also be submitted, but each zip file can contain only one encounter file, either .dat or .txt. Both the zip file and the encounter file it contains must meet the file naming standards.

If the file does not meet the file naming standard, the file will not be processed. In this instance, the Nevada Medicaid EDI Helpdesk will notify the submitter of the issue and request correction and resubmittal. You will need to correct the file name and resubmit the file in order for it to process.

3.3 File Retention

All electronic files that have been made available for download will remain available online for download for sixty (60) days. This applies to Web Portal and SFTP Trading Partners.

After the 60 days' time frame, the files will be removed from the list and will no longer be available for download. This applies to testing and production environments.

3.4 Payer specific documentation

For additional information in regards to business processes related to eligibility, prior authorization and claims processing, please review the Provider Billing Manual located on the Nevada Medicaid Provider Web Portal at: <http://www.medicaid.nv.gov>

4 Connectivity with Nevada Medicaid/Communications


This section describes the process to submit HIPAA 837I transactions, along with submission methods, security requirements, and exception handling procedures.

Nevada Medicaid supports multiple methods for exchanging electronic healthcare transactions depending on the Trading Partner's needs. For HIPAA 837I transactions, the following can be used:

- Secure File Transfer Protocol (SFTP) (this only applies to batch transactions)
- The Nevada Medicaid Provider Web Portal

4.1 Process Flows

This section contains a process flow diagram and appropriate text.



4.2 Health Care Claim and Response

The response to an 837 batch transaction will consist of the following:

1. First level response: TA1 will be generated when errors occur within the outer envelope. If the ISA14 – Acknowledgement Requested is set as a “1”, a TA1 will be provided regardless if the file passes compliance or errors occur. If you do not wish to receive a TA1 response for files that pass compliance, the ISA14 must be set to a “0”.
2. Second level response: 999 will be generated.
 - A=Accepted (AK9=A)
 - R=Rejected (AK9=R) when errors occur during the compliance validation process. The entire file is rejected. The claim(s) in error will need to be corrected and the entire file resubmitted for processing.
 - P=Partial (AK9=P) when errors occur during the compliance validation process. The file was partially accepted. The file is rejected at the transaction set level (ST/SE). The claim(s) in error will need to be corrected and the transaction set(s) in error, will need to be resubmitted for processing.
 - E=Accepted, But Errors Were Noted (AK9=E). No action is needed as this means the entire file was accepted for processing, but warning or informational edits were found.

Each transaction is validated to ensure that the 837I complies with the 005010X223A2 TR3 Implementation Guide.

4.3 Transmission Administrative Procedures

This section provides Nevada Medicaid’s specific transmission administrative procedures.

For details about available Nevada Medicaid Access Methods, refer to the Communication Protocol Specifications section below.

Nevada Medicaid is only available to authorized users. The submitter/receiver must be a Nevada Medicaid Trading Partner. Each submitter/receiver is authenticated using the Username and private SSH key provided by the Trading Partner as part of the enrollment process.

4.4 System Availability

The system is typically available 24X7 with the exception of scheduled maintenance windows as noted on the Nevada Medicaid Provider Web Portal at <https://www.medicaid.nv.gov/>.

4.5 Transmission File Size

| Transactions | Submission Method | File Size Limit | Other Conditions |
|--------------|-------------------|-----------------|----------------------------------|
| 837s | SFTP | 300 MB | 5,000 claims per transaction set |

| Transactions | Submission Method | File Size Limit | Other Conditions |
|---------------|-------------------|-----------------|---|
| 270 Batch | SFTP | 30 MB | |
| 276 Batch | SFTP | 30 MB | |
| 270 Real-Time | CORE | | Real-time limited to 1 eligibility request per transaction |
| 276 Real-Time | CORE | | Real-time limited to 1 claim status request per transaction |
| 837s | Web Portal | 4 MB | 5,000 claims per transaction set |
| 270 Batch | Web Portal | 4 MB | |
| 276 Batch | Web Portal | 4 MB | |

4.6 Re-Transmission Procedures

Nevada Medicaid does not require any identification of a previous transmission of a file with the Note exception listed below. All files sent should be marked as original transmissions.

Nevada Medicaid does identify duplicate files based on content of the file before it reaches the MMIS system. The duplicate check algorithm only checks for file content. It does not check for filename or file size.

Note: If the same file was resubmitted using SFTP and the data content is the same content of another file, this file will be detected as a duplicate file. The EDI Helpdesk will contact the EDI contact listed on file to verify if the file was meant to be reprocessed.

4.7 Communication Protocol Specifications

This section describes Nevada Medicaid's communication protocol(s).

- **Secure File Transfer Protocol (SFTP):** Nevada Medicaid allows Trading Partners to connect to the Nevada Medicaid SFTP server using the SSH private key and assigned user name. There is no password for the connection.
- **Nevada Medicaid Provider Web Portal:** Nevada Medicaid allows Trading Partners to connect to the Nevada Medicaid Provider Web Portal. Refer to the Trading Partner User Guide for instructions.

4.8 Passwords

Trading Partners must adhere to Nevada Medicaid's use of passwords. Trading Partners are responsible for managing their own data. Each Trading Partner is responsible for managing access to their organization's data through the interChange security function. Each Trading Partner must take all necessary precautions to ensure that they are safeguarding their information and sharing their data (e.g., granting access) only with users and entities who meet the required privacy standards. It is equally important that Trading Partners know who on their staff is linked to

other providers or entities, in order to notify those entities whenever they remove access for that person in your organization(s).

5 Contact Information

Refer to this companion guide with questions, and then use the contact information below for questions not answered by this companion guide.

5.1 EDI Customer Service

This section contains detailed information concerning EDI Customer Service, especially contact numbers.

Most questions can be answered by referencing materials posted on the Nevada Medicaid Provider Web Portal at <https://www.medicaid.nv.gov>.

If you have questions related to the Nevada Medicaid's 837I transaction, you may contact the EDI Helpdesk at (877) 638-3472 options 2, 0, then 3, Monday through Friday, 8:00 a.m. to 5:00 p.m. Pacific Time, with the exception of Nevada State holidays or send an email to nvmmis.edisupport@dxc.

5.2 EDI Technical Assistance

This section contains detailed information concerning EDI Technical Assistance, especially contact numbers.

The Nevada Medicaid EDI Helpdesk can help with connectivity issues or transaction formatting issues at (877) 638-3472 options 2, 0, then 3, Monday through Friday, 8:00 a.m. to 5:00 p.m. Pacific Time, with the exception of Nevada State holidays or send an email to nvmmis.edisupport@dxc.com.

Please have your 8-digit Trading Partner ID available. Trading Partners should have this number available each time they contact the Nevada Medicaid EDI Helpdesk.

For written correspondence:

Nevada Medicaid

PO Box 30042

Reno, Nevada 89520-3042

5.3 Customer Service/Provider Enrollment

This section contains information for contacting Customer Service and Provider Enrollment.

Customer Service should be contacted instead of the EDI Helpdesk for questions regarding claim status information and Provider Enrollment.

Customer Service

- Phone: (877) 638-3472 (select option 2, option 0 and then option 2)
- Fax: (775) 335-8502

- The Provider Billing Manual can be found at:
https://www.medicaid.nv.gov/Downloads/provider/NV_Billing_General.pdf

Provider Enrollment

- Phone: (877) 638-3472 (select option 2, option 0 and then option 5)
- Fax: (775) 335-8593
- Email: nv.providerapps@dxc.com
- Provider Enrollment Information Booklet can be found at:
https://www.medicaid.nv.gov/Downloads/provider/NV_Provider_Enrollment_Information_Booklet.pdf.

5.4 Applicable Websites/Email

This section contains detailed information about useful websites.

- Accredited Standards Committee (ASC X12): ASC X12 develops and maintains standards for inter-industry electronic interchange of business transactions. www.x12.org.
- Accredited Standards Committee (ASC X12N): ASC X12N develops and maintains X12 EDI and XML standards, standards interpretations, and guidelines as they relate to all aspects of insurance and insurance-related business processes. www.x12.org.
- American Dental Association (ADA): Develops and maintains a standardized data set for use by dental organizations to transmit claims and encounter information. www.ada.org.
- American Hospital Association Central Office on ICD-10-CM/ICD-10-PCS (AHA): This site is a resource for the International Classifications of Diseases, 10th edition, Clinical Modification (ICD-10-CM) codes, used for reporting patient diagnoses and (ICD-10-PCS) for reporting hospital inpatient procedures. www.ahacentraloffice.org.
- American Medical Association (AMA): This site is a resource for the Current Procedural Terminology 4th Edition codes (CPT-4). The AMA copyrights the CPT codes. www.ama-assn.org.
- Centers for Medicare & Medicaid Services (CMS): CMS is the unit within HHS that administers the Medicare and Medicaid programs. Information related to the Medicaid HIPAA Administrative Simplification provision, along with the Electronic Health-Care Transactions and Code Sets, can be found at <http://www.cms.gov/Regulations-and-Guidance/Administrative-Simplification/HIPAA-ACA>.

This site is the resource for information related to the Healthcare Common Procedure Coding System (HCPCS). www.cms.hhs.gov/HCPCSReleaseCodeSets/.

- Committee on Operating Rules for Information Exchange (CORE): A multi-phase initiative of Council for Affordable Quality Healthcare, CORE is a committee of more than 100 industry leaders who help create and promulgate a set of voluntary business rules focused on improving physician and hospital access to electronic patient insurance information at

or before the time of care. www.caqh.org/CORE_overview.php.

- Council for Affordable Quality Healthcare (CAQH): A nonprofit alliance of health plans and trade associations, working to simplify healthcare administration through industry collaboration on public-private initiatives. Through two initiatives – the Committee on Operating Rules for Information Exchange and Universal Provider Datasource, CAQH aims to reduce administrative burden for providers and health plans. www.caqh.org.
- Designated Standard Maintenance Organizations (DSMO): This site is a resource for information about the standard-setting organizations and transaction change request system. www.hipaa-dsmo.org.
- Health Level Seven (HL7): HL7 is one of several ANSI-accredited Standards Development Organizations (SDOs), and is responsible for clinical and administrative data standards. www.hl7.org.
- Healthcare Information and Management Systems (HIMSS): An organization exclusively focused on providing global leadership for the optimal use of IT and management systems for the betterment of health care. www.himss.org.
- National Committee on Vital and Health Statistics (NCVHS): The National Committee on Vital and Health Statistics was established by Congress to serve as an advisory body to the Department of Health and Human Services on health data, statistics, and national health information policy. www.ncvhs.hhs.gov.
- National Council of Prescription Drug Programs (NCPDP): The NCPDP is the standards and codes development organization for pharmacy. www.ncpdp.org.
- National Uniform Billing Committee (NUBC): NUBC is affiliated with the American Hospital Association. It develops and maintains a national uniform billing instrument for use by the institutional health-care community to transmit claims and encounter information. www.nubc.org.
- National Uniform Claim Committee (NUCC): NUCC is affiliated with the American Medical Association. It develops and maintains a standardized data set for use by the non-institutional health-care organizations to transmit claims and encounter information. NUCC maintains the national provider taxonomy. www.nucc.org.
- Nevada Department of Health and Human Services (DHHS) Division of Health Care Financing and Policy (DHCFP): The DHCFP website assists with policy questions: dhcfp.nv.gov and this website assists providers with billing and enrollment support: www.medicaid.nv.gov.
- Office for Civil Rights (OCR): OCR is the office within the Department of Health and Human Services responsible for enforcing the Privacy Rule under HIPAA. www.hhs.gov/ocr/hipaa.
- United States Department of Health and Human Services (HHS): The DHHS website is a resource for the Notice of Proposed Rule Making, rules, and their information about HIPAA. www.aspe.hhs.gov/admsimp.

- Washington Publishing Company (WPC): WPC is a resource for HIPAA-required transaction technical report type 3 documents and code sets. www.wpc-edi.com.
- Workgroup for Electronic Data Interchange (WEDI): WEDI is a workgroup dedicated to improving health-care through electronic commerce, which includes the Strategic National Implementation Process (SNIP) for complying with the administrative-simplification provisions of HIPAA. www.wedi.org.

6 Control Segments/Envelopes

The page numbers listed below in each of the tables represent the corresponding page number in the X12N 837I HIPAA Implementation Guide.

| X12N EDI Control Segments |
|---|
| ISA – Interchange Control Header Segment |
| IEA – Interchange Control Trailer Segment |
| GS – Functional Group Header Segment |
| GE – Functional Group Trailer Segment |
| ST – Transaction Set Header |
| SE – Transaction Set Trailer |
| TA1 – Interchange Acknowledgement |

6.1 ISA-IEA

This section describes Nevada Medicaid's use of the interchange control segments. It includes a description of expected sender and receiver codes, authorization information, and delimiters.

To promote efficient, accurate electronic transaction processing, please note the following Nevada Medicaid specifications:

- Nevada Medicaid requires Trading Partners to use the ASC X12 Extended Character Set.
- Each Trading Partner is assigned a unique Trading Partner ID.
- All dates are in the CCYYMMDD format, with the exception of the ISA09 which is YYMMDD.
- All date/times are in the CCYYMMDDHHMM format.
- Nevada Medicaid Payer ID is NVMED.
- Only one ISA/IEA will be present within a logical file.

Transactions transmitted during a session or as a batch are identified by an ISA header segment and IEA trailer segment, which form the envelope enclosing the transmission. Each ISA marks the beginning of the transmission (batch) and provides sender and receiver identification. The tables below represent the interchange envelope information.

| TR3 Page # | Loop ID | Reference | Name | Codes | Length | Notes/Comments |
|------------|---------|-----------|-------------------------------------|--------|--------|----------------|
| C.3 | | ISA | Interchange Control Header | | | |
| C.4 | | ISA01 | Authorization Information Qualifier | 00, 03 | | |

| TR3 Page # | Loop ID | Reference | Name | Codes | Length | Notes/Comments |
|------------|---------|-----------|--------------------------------------|---------------------------|--------|---|
| | | | No Authorization Information Present | 00 | 2 | |
| C.4 | | ISA02 | Authorization Information | | 10 | Space fill |
| C.4 | | ISA03 | Security Information Qualifier | 00, 01 | | |
| | | | No Security Information Present | 00 | 2 | |
| C.4 | | ISA04 | Security Information | | 10 | Space fill |
| C.4 | | ISA05 | Interchange ID Qualifier | 01, 14, 20, 27-30, 33, ZZ | | |
| | | | Mutually Defined | ZZ | 2 | |
| C.4 | | ISA06 | Interchange Sender ID | | 15 | The 8-digit Trading Partner ID assigned by NV Medicaid, left justified and space filled. |
| C.5 | | ISA07 | Interchange ID Qualifier | 01, 14, 20, 27-30, 33, ZZ | | |
| | | | Mutually Defined | ZZ | 2 | |
| C.5 | | ISA08 | Interchange Receiver ID | NVMED | 15 | NV Medicaid receiver ID, left justified and space filled. |
| C.5 | | ISA09 | Interchange Date | | 6 | Format is YYMMDD |
| C.5 | | ISA10 | Interchange Time | | 4 | Format is HHMM |
| C.5 | | ISA11 | Repetition Separator | ^ | 1 | The repetition separator is a delimiter and not a data element. It is used to separate repeated occurrences of a simple data element or a composite data structure. This value must be different from the data element separator, component element separator, and the segment terminator. |

| TR3 Page # | Loop ID | Reference | Name | Codes | Length | Notes/Comments |
|------------|---------|-----------|--|-------|--------|---|
| C.5 | | ISA12 | Interchange Control Version Number | 00501 | 5 | |
| C.5 | | ISA13 | Interchange Control Number | | 9 | Must be identical to the associated interchange control trailer IEA02. |
| C.6 | | ISA14 | Acknowledgement Requested | 0, 1 | | |
| | | | No interchange acknowledgement requested | 0 | 1 | A TA1 will be generated if the file fails the 'Interchange Envelope' content regardless of the value used. |
| | | | Interchange acknowledgement requested | 1 | 1 | |
| C.6 | | ISA15 | Interchange Usage Indicator | T, P | | |
| | | | Test data | T | 1 | |
| | | | Production data | P | 1 | |
| C.6 | | ISA16 | Component Element Separator | : | 1 | The component element separator is a delimiter and not a data element. It is used to separate component data elements within a composite data structure. This value must be different from the data element separator and the segment terminator. |

| TR3 Page # | Loop ID | Reference | Name | Codes | Length | Notes/Comments |
|------------|---------|-----------|--------------------------------------|-------|--------|---------------------------------------|
| C10 | | IEA | Interchange Control Trailer | | | |
| C.10 | | IEA01 | Number of Included Functional Groups | | 1/5 | Number of included Functional Groups. |

| TR3 Page # | Loop ID | Reference | Name | Codes | Length | Notes/Comments |
|------------|---------|-----------|----------------------------|-------|--------|--|
| C.10 | | IEA02 | Interchange Control Number | | 9 | The control number assigned by the interchange sender. Must be identical to the value in ISA13. |

6.2 GS-GE

This section describes Nevada Medicaid's use of the functional group control segments.

It includes a description of expected application sender and receiver codes. Also included in this section is a description concerning how Nevada Medicaid expects functional groups to be sent and how Nevada Medicaid will send functional groups. These discussions will describe how similar transaction sets will be packaged and Nevada Medicaid's use of functional group control numbers. The tables below represent the functional group information.

| TR3 Page # | Loop ID | Reference | Name | Codes | Length | Notes/Comments |
|------------|---------|-----------|--|-------|--------|---|
| C.7 | | GS | Functional Group Header | | | |
| C.7 | | GS01 | Functional Identifier Code | HC | 2 | |
| C.7 | | GS02 | Application Sender's Code | | 8 | Trading Partner ID supplied by NV Medicaid. This will be the same value in the ISA06. |
| C.7 | | GS03 | Application Receiver's Code | NVMED | 5 | NV Medicaid receiver ID. This will be the same value in the ISA08. |
| C.7 | | GS04 | Functional Group Creation Date | | 8 | Format is CCYYMMDD |
| C.8 | | GS05 | Functional Group Creation Time | | 4/8 | Format is HHMM |
| C.8 | | GS06 | Group Control Number | | 1/9 | Must be identical to the value in the GE02. |
| C.8 | | GS07 | Responsible Agency Code | X | 1 | |
| C.8 | | GS08 | Version/Release / Industry Identifier Code | | 12 | 005010X223A2 |

| TR3 Page # | Loop ID | Reference | Name | Codes | Length | Notes/Comments |
|------------|---------|-----------|-------------------------------------|-------|--------|--|
| C.9 | | GE | Functional Group Trailer | | | |
| C.9 | | GE01 | Number of Transaction Sets Included | | 1/6 | Total number of transaction sets included in the functional group. |
| C.9 | | GE02 | Group Control Number | | 1/9 | This is the same value as the GS06. |

6.3 ST-SE

This section describes Nevada Medicaid’s use of transaction set control numbers.

Nevada Medicaid recommends that Trading Partners follow the guidelines set forth in the TR3 Implementation Guide – start the first ST02 in the first file with 000000001 and increment from there. The TR3 Implementation Guide should be reviewed for how to create compliant transactions set control segments.

The 837 Institutional files may contain multiple ST-SE segments.

| TR3 Page # | Loop ID | Reference | Name | Codes | Length | Notes/Comments |
|------------|---------|-----------|-------------------------------------|-------|--------|--|
| 67 | | ST | Transaction Set Header | | | |
| 67 | | ST01 | Transaction Set Identifier Code | 837 | 3 | |
| 67 | | ST02 | Transaction Set Control Number | | 4/9 | Increment by 1 when multiple transaction sets are included. Must be identical to SE02. |
| 67 | | ST03 | Implementation Convention Reference | | 12 | 005010X223A2 |

| TR3 Page # | Loop ID | Reference | Name | Codes | Length | Notes/Comments |
|------------|---------|-----------|--------------------------------|-------|--------|--|
| 488 | | SE | Transaction Set Trailer | | | |
| 488 | | SE01 | Transaction Segment Count | | 1/10 | Total number of segments included in a transaction set including ST and SE segments. |
| 488 | | SE02 | Transaction Set Control Number | | 4/9 | Transaction set control number. Must be identical to ST02 |

6.4 Control Segment Notes

The ISA data segment is a fixed length record and all fields must be supplied. Fields that are not populated with actual data must be filled in with spaces.

6.5 File Delimiters

Nevada Medicaid requests that submitters use the following delimiters on your 837 file. If used as delimiters, these characters (* : ~ ^) must not be submitted within the data content of the transaction sets.

- **Data Element:** Byte 4 in the ISA segment defines the data element separator to be used throughout the entire transaction. The recommended data element delimiter is an asterisk (*).
- **Repetition Separator:** ISA11 defines the repetition separator to be used throughout the entire transaction. The recommended repetition separator is a caret (^).
- **Component-Element:** ISA16 defines the component element delimiter to be used throughout the entire transaction. The recommended component-element delimiter is a colon (:).
- **Data Segment:** Byte 106 of the ISA segment defines the segment terminator used throughout the entire transaction. The recommended data segment delimiter is a tilde (~).

7 Nevada Medicaid Specific Business Rules and Limitations

This section describes Nevada Medicaid's specific business rules and limitations for the 837 Institutional Health Care Claim.

Before submitting 837 Institutional claims to Nevada Medicaid, please review the appropriate HIPAA Technical Report Type 3 (TR3) Implementation Guide and Nevada Medicaid Companion Guide.

It is also recommended that users review the billing instructions for specific provider types. They are available on the Nevada Medicaid Provider Web Portal located at:

<https://www.medicaid.nv.gov/providers/edi.aspx>.

7.1 Logical File Structure

There can only be one interchange (ISA/IEA) per logical file. The interchange can contain multiple functional groups (GS/GE); however, the functional groups must be the same type.

7.2 Compliance Checking

Inbound 837 transactions are validated through Strategic National Implementation Process (SNIP) Level 4. Refer to Appendix B for a list of SNIP Level 4 edits.

7.3 Dependent Data

Nevada Medicaid recipients should be reported as the Subscriber only; dependent data should never be used.

7.4 Trading Partner

If an 837I transaction is submitted by a non-approved Trading Partner, it will result in a TA1 response.

7.5 Claims with TPL

To avoid claims denied for TPL, current billing procedures require providers to attach an EOB when the primary TPL carrier denies the claim or pays zero. The claim will suspend for review by the claims team. This could be eliminated if the adjustment reason code on 837s is received by the other carrier. These adjustment reason codes will override or ignore the TPL edit, since it provides a valid reason why the TPL will not apply. No EOB attachment is needed.

7.6 Medicare Claims with Part B Payments

Claims should be submitted as inpatient claims and not as inpatient crossover claims. Part B payment information should be placed in the TPL related fields, 2320 SBR and AMT segments. The SBR09 data element will contain an "MB" for Medicare Part-B and the AMT02 data element will contain the payer paid amount.

7.7 Submission of Claims

Trading Partners may submit electronic claims 24 hours a day, 7 days a week. Transactions submitted after 4:00 p.m. Pacific Time (PT) are processed in the following day's cycle.

Claims must be submitted before 12:00 p.m. PT on Fridays to be included in the following Friday's electronic remittance advice (835 transaction).

7.8 Document Level Rejection

Files are processed at the transaction set level (ST/SE). This means if one compliance error is received at the transaction set level (ST/SE), that transaction set will be rejected and the error reported on the 999 transaction. This may create a partially accepted file if the file contains multiple transaction sets.

The claim(s) that caused the rejection needs to be corrected and the entire transaction set (ST/SE) needs to be resubmitted for processing.

8 Acknowledgements and/or Reports

This section contains information and examples on any applicable payer acknowledgements.

8.1 The TA1 Interchange Acknowledgement

The TA1 allows the receiver of a file to notify the sender that an invalid interchange structure was received or that problems were encountered. The TA1 verifies only the interchange header (ISA/GS) and trailer (IEA/GE) segments of the file envelope.

If ISA or GS errors were encountered, then the generated TA1 report with the Interchange Header errors will be returned for pickup.

What to look for in the TA1

The TA1 segment indicates whether or not the submitted interchange control structure passed the HIPAA compliance check.

If TA104 is "R", then the transmitted interchange control structure header and trailer were rejected because of errors. The submitter will need to correct the errors and resubmit the corrected file to Nevada Medicaid.

Example:

```
TA1*000100049*130716*0935*R*020~
```

The data elements in the TA1 segment are defined as follows:

- TA101 contains the Interchange Control Number (ISA13) from the file to which this TA1 is responding ("000100049" in the example above).
- TA102 contains the Interchange Date ("130716" in the example above).
- TA103 contains the Interchange Time ("0935" in the example above).
- TA104 code indicates the status of the interchange control structure ("R" in the example above). The definition of the code is as follows: "R" – The transmitted interchange control structure header and trailer are rejected because of errors.
- TA105 code indicates the error found while processing the interchange control structure ("020" in the example above). The definitions of the codes are as follows:

| Code | Description |
|------|--|
| 000 | No Error |
| 001 | The Interchange Control Number in the Header and Trailer Do Not Match. The Value From the Header is Used in the Acknowledgement. |
| 002 | This Standard as Noted in the Control Standards Identifier is Not Supported |
| 003 | This Version of the Controls is Not Supported |
| 004 | The Segment Terminator is Invalid |
| 005 | Invalid Interchange ID Qualifier for Sender |

| Code | Description |
|------|---|
| 006 | Invalid Interchange Sender ID |
| 007 | Invalid Interchange ID Qualifier for Receiver |
| 008 | Invalid Interchange Receiver ID |
| 009 | Unknown Interchange Receiver ID |
| 010 | Invalid Authorization Information Qualifier Value |
| 011 | Invalid Authorization Information Value |
| 012 | Invalid Security Information Qualifier Value |
| 013 | Invalid Security Information Value |
| 014 | Invalid Interchange Date Value |
| 015 | Invalid Interchange Time Value |
| 016 | Invalid Interchange Standards Identifier Value |
| 017 | Invalid Interchange Version ID Value |
| 018 | Invalid Interchange Control Number Value |
| 019 | Invalid Acknowledgement Requested Value |
| 020 | Invalid Test Indicator Value |
| 021 | Invalid Number of Included Groups Value |
| 022 | Invalid Control Structure |
| 023 | Improper (Premature) End-of-File (Transmission) |
| 024 | Invalid Interchange Content (e.g., Invalid GS Segment) |
| 025 | Duplicate Interchange Control Number |
| 026 | Invalid Data Element Separator |
| 027 | Invalid Component Element Separator |
| 028 | Invalid Delivery Date in Deferred Delivery Request |
| 029 | Invalid Delivery Time in Deferred Delivery Request |
| 030 | Invalid Delivery Time Codeine Deferred Delivery Request |
| 031 | Invalid Grade of Service Code |

The TA1 segment will be sent within its own interchange (i.e., ISA-TA1-IEA)

Example of a TA1 within its own interchange:

```
ISA*00*      *00*      *ZZ*NVMED      *ZZ*TPID1234
*171222*0106*^^*00501*000000001*0*P*::~~TA1*000100049*130716*0935*R*020~IEA*0*000
000001~
```

For additional information, consult the Interchange Control Structures, X12.5 Guide. TR3 documents may be obtained by logging on to www.wpc-edi.com and following the links to "EDI Publications" and "5010 Technical Reports."

8.2 The 999 Implementation Acknowledgement

If a 5010 X12 file is submitted to Nevada Medicaid, a 999 acknowledgement is sent to the submitter normally within one hour; however, it could take as long as 24 hours. A 999 does not guarantee processing of the transaction. It only signifies that Nevada Medicaid received the Functional Group.

The following sections explain how to read the 999 to find out whether a file is Accepted, Rejected, Partially Accepted or Accepted, But Errors Were Noted. If a Functional Group is Accepted or Accepted, But Errors Were Noted, no action is required by the submitter. If the Functional Group is Partially Accepted or Rejected, the submitter must correct the errors and re-submit the corrected file or transaction set(s) to Nevada Medicaid.

What to look for in the 999

Locate the AK9 segment. These segments indicate whether or not the submitted Functional Group passed the HIPAA compliance check.

If the AK9 segment appears as AK9*A (Accepted), the entire file was accepted for processing.

If the AK9 segment appears as AK9*R (Rejected), the entire file was rejected.

If the AK9 segment appears as AK9*P (Partially Accepted), the transaction set(s) was rejected.

If the AK9 segment appears as AK9*E (Accepted, But Errors Were Noted), the entire file was accepted for processing, but warning or informational edits were found.

Example of the 999 Acknowledgement:

```
ST*999*0001*005010X231~  
AK1*HC*6454*005010X231~  
AK2*837*0001~  
IK5*A~  
AK2*837*0002~  
IK3*CLM*22*22**8~  
CTX*CLM01:123456789~  
IK4*2*782*1~  
IK5*R*5~  
AK9*P*2*2*1~  
SE*8*0001~
```

AK1

This segment refers to the (GS) Group Set level of the original file sent to Nevada Medicaid.

- AK101 is equal to GS01 from the original file (e.g., the AK101 of an 837 claims file would be "HC"; the AK101 of a 270 Eligibility Inquiry file would be "HS").
- AK102 is equal to GS06 from the original file (Group Control Number).
- AK103 is equal to GS08 from the original file (EDI Implementation Version).

AK2

This segment refers to the (ST) Transaction Set level of the original file sent to Nevada Medicaid.

- AK201 is equal to ST01 from the original file (e.g., the AK201 of an 837 claims file would be "837"; the AK201 of a 270 Eligibility Inquiry file would be "270").
- AK202 is equal to ST02 from the original file (Transaction Set Control Number).
- AK203 is equal to ST03 from the original file (EDI Implementation Version).

IK3

This segment reports errors in a data segment.

Example:

IK3*CLM*22**8~

- IK301 contains the segment name that has the error. In the example above, the segment name is "CLM".
- IK302 contains the numerical count position of this data segment from the start of the transaction set (a "line count"). The erroneous "CLM" segment in the example above is the 22nd segment line in the Transaction Set. Transaction Sets start with the "ST" segment. Therefore, the erroneous segment in the example is the 24th line from the beginning of the file because the first two segments in the file, ISA and GS, are not part of the transaction set.
- IK303 may contain the loop ID where the error occurred.
- IK304 contains the error code and states the specific error. In the example above, the code " 8" states "Segment Has Data Element Errors."

| Code | Description |
|------|--|
| 1 | Unrecognized segment ID |
| 2 | Unexpected segment |
| 3 | Required segment missing |
| 4 | Loop occurs over maximum times |
| 5 | Segment Exceeds Maximum Use |
| 6 | Segment not in defined transaction set |
| 7 | Segment not in proper sequence |
| 8 | Segment has data element errors |

| | |
|----|---|
| 14 | Implementation "Not Used" segment present |
| 16 | Implementation Dependent segment missing |
| 17 | Implementation loop occurs under minimum times |
| 18 | Implementation segment below minimum use |
| 19 | Implementation Dependent "Not Used" segment present |

CTX

This segment describes the Context/Business Unit. The CTX segment is used to identify the data that triggered the situational requirement in the IK3.

Example:

IK3*CLM*22**8~

CTX*CLM01:123456789~

IK4

This segment reports errors in a data element.

Example:

IK4*2*782*1~

- IK401 contains the data element position in the segment that is in error. The "2" in the example above represents the second data element in the segment.

| Code | Description |
|------|---|
| 1 | Required data element missing |
| 2 | Conditional required data element missing |
| 3 | Too many data elements |
| 4 | Data element too short |
| 5 | Data element too long |
| 6 | Invalid character in data element |
| 7 | Invalid code value |
| 8 | Invalid date |
| 9 | Invalid time |
| 10 | Exclusion condition violated |
| 12 | Too many repetitions |
| 13 | Too many components |
| 16 | Code value not used in implementation |
| 19 | Implementation dependent data element missing |

| | |
|-----|---|
| I10 | Implementation "Not Used" data element present |
| I11 | Implementation too few repetitions |
| I12 | Implementation pattern match failure |
| I13 | Implementation Dependent "Not Used" element present |

Note: IK404 may contain a copy of the bad data element.

IK5

This segment reports errors in a transaction set.

Example:

IK5*R*5~

- IK501 indicates whether the transaction set is:
 - A = Accepted
 - R = Rejected

The "R" in the example above means the transaction set was rejected due to errors.

- IK502 indicates the implementation transaction set syntax error. The "5" in the example above indicates "One or More Segments in Error."

Below is a sample of IK502 error codes. Please refer to the 999 TR3 document for a complete list of these error codes.

| Code | Description |
|------|---|
| 1 | Transaction Set not supported |
| 2 | Transaction Set trailer missing |
| 3 | Transaction Set Control Number in Header/Trailer do not match |
| 5 | One or more segments in error |

AK9

This segment reports the functional group compliance status.

Example:

AK9*P*2*2*1~

- AK901 indicates whether the entire functional group is:
 - A = Accepted
 - P = Partially Accepted. The transaction set(s) rejected and will NOT be forwarded for processing. The transaction set(s) will need to be corrected and resubmitted.
 - R = Rejected. The functional group was rejected and will NOT be forwarded for processing. The file will need to be corrected and resubmitted.
 - E = Accepted, But Errors Were Noted. No action is needed as this means the

entire file was accepted for processing, but warning or informational edits were found.

The “P” in the example above means the functional group was partially accepted and at least one transaction set was rejected.

- AK902 contains the total number of transaction sets. In the example above, two transaction sets were submitted.
- AK903 contains the number of received transaction sets. In the example above, two transaction sets were received.
- AK904 contains the number of accepted transaction sets in a Functional Group. In the example above, one transaction set was accepted.
- AK905 contains the Functional Group Syntax Error Code.

Below is a sample of AK905 error codes. Please refer to the 999 TR3 document for a complete list of error codes.

| Code | Description |
|------|--|
| 1 | Functional group not supported |
| 2 | Functional group version not supported |
| 3 | Functional group trailer missing |
| 4 | Group Control Number in the functional group Header and Trailer do not agree |
| 5 | Number of included transaction sets does not match actual count |
| 6 | Group Control Number violates syntax |
| 17 | Incorrect message length (Encryption only) |
| 18 | Message authentication code failed |
| 19 | Functional Group Control Number not unique within interchange |

For additional information, consult the Implementation Acknowledgement for Health Care Insurance (999) Guide. TR3 documents may be obtained by logging onto www.wpc-edi.com and following the links to “HIPAA” and “HIPAA Guides. ”

8.3 Report Inventory

There are no acknowledgement reports at this time.

9 Trading Partner Agreements

Trading Partners who intend to conduct electronic transactions with Nevada Medicaid must agree to the terms of the Nevada Medicaid Trading Partner Agreement.

An EDI Trading Partner is defined as any entity (provider, billing service, software vendor, employer group, financial institution, etc.) that conducts electronic transactions with Nevada Medicaid. The Trading Partner and Nevada Medicaid acknowledge and agree that the privacy and security of data held by or exchanged between them is of utmost priority. Each party agrees to take all steps reasonably necessary to ensure that all electronic transactions between them conform to all HIPAA regulations.

Payers have EDI Trading Partner Agreements that accompany the standard implementation guide to ensure the integrity of the electronic transaction process. The Trading Partner Agreement is related to the electronic exchange of information, whether the agreement is an entity or a part of a larger agreement, between each party to the agreement.

A copy of the agreement is available on the Nevada Medicaid Provider Web Portal at:
<https://www.medicaid.nv.gov/providers/edi.aspx>.

10 Transaction Specific Information

This section describes how ASC X12N TR3 Implementation Guides adopted under HIPAA will be detailed with the use of a table. The tables contain a row for each segment that Nevada Medicaid has something additional, over and above, the information in the TR3s. That information can:

- Limit the repeat of loops or segments
- Limit the length of a simple data element
- Specify a sub-set of the TR3 internal code listings
- Clarify the use of loops, segments, composite, and simple data elements
- Any other information tied directly to a loop, segment, composite, or simple data element pertinent to trading electronically with Nevada Medicaid

In addition to the row for each segment, one or more additional rows are used to describe Nevada Medicaid's usage for composite and simple data elements and for any other information. Notes and comments should be placed at the deepest level of detail. For example, a note about a code value should be placed on a row specifically for that code value, not in a general note about the segment.

10.1 Institutional Health Care Claims (837I)

| TR3 Page # | Loop ID | Reference | Name | Codes | Length | Notes/ Comments |
|------------|---------|-----------|---------------------------------------|------------|--------|---|
| 68 | | BHT | Beginning of Hierarchical Transaction | | | |
| 68 | | BHT02 | Transaction Set Purpose Code | 00, 18 | | |
| | | | Original | 00 | 2 | |
| 69 | | BHT06 | Transaction Type Code | 31, CH, RP | | |
| | | | Chargeable | CH | 2 | |
| 71 | 1000A | NM1 | Submitter Name | | | |
| 72 | 1000A | NM109 | Identification Code | | 8 | The Trading Partner ID assigned by Nevada Medicaid. |
| 73 | 1000A | PER | Submitter EDI Contact Information | | | |

Nevada Medicaid Electronic Transaction Companion Guide:
 Institutional Health Care Claim: Fee for Service (837I)

| TR3 Page # | Loop ID | Reference | Name | Codes | Length | Notes/ Comments |
|---------------|---------|-----------|--|------------|--------|---|
| 74 | 1000A | PER02 | Name | | 1/60 | Required if different than the name contained in the Submitter Name (Loop 1000A-NM1 segment). |
| 74 | 1000A | PER03 | Communication Number Qualifier | EM, FX, TE | 2 | |
| 74 | 1000A | PER04 | Communication Number | | | Email Address, Fax Number or Telephone Number (including the area code) |
| 76 | 1000B | NM1 | Receiver Name | | | |
| 77 | 1000B | NM103 | Name Last or Organization Name | | 1/60 | NEVADA MEDICAID |
| 77 | 1000B | NM109 | Identification Code | NVMED | 5 | |
| 80 | 2000A | PRV | Billing Provider Specialty Information | | | |
| 80 | 2000A | PRV03 | Reference Identification | | 10 | Billing Provider Taxonomy Code |
| 84 | 2010AA | NM1 | Billing Provider Name | | | |
| 86 | 2010AA | NM109 | Identification Code | | 10 | Billing Provider NPI |
| 87 | 2010AA | N3 | Billing Provider Address | | | |
| 87 | 2010AA | N301 | Address Information | | 1/55 | |
| 88 | 2010AA | N4 | Billing Provider City/ State/ ZIP Code | | | |
| 89 | 2010AA | N403 | Zip Code | | 9 | Billing Provider Zip Code + 4 digit postal code (excluding punctuation and blanks). |
| 90 | 2010AA | REF | Billing Provider Tax Identification | | | Healthcare providers must send NPI in the associated NM109. |
| 90 | 2010AA | REF01 | Reference Identification Qualifier | EI | 2 | |

Nevada Medicaid Electronic Transaction Companion Guide:
 Institutional Health Care Claim: Fee for Service (837I)

| TR3 Page # | Loop ID | Reference | Name | Codes | Length | Notes/ Comments |
|---------------|---------|-----------|--|---|--------|--|
| 90 | 2010AA | REF02 | Reference Identification | | 9 | |
| 107 | 2000B | HL | Subscriber Hierarchical Level | | | For Nevada Medicaid, the insured and the patient are always the same person. Use this HL segment to identify the member and proceed to Loop 2300. Do not send the Patient Hierarchical Level (Loop 2000C). |
| 108 | 2000B | HL04 | Hierarchical Child Code | 0, 1 | | |
| | | | No Subordinate HL Segment in This Hierarchical Structure | 0 | 1 | For NV Medicaid the Member is the Subscriber so there should never be a Dependent Level. |
| 109 | 2000B | SBR | Subscriber Information | | | |
| 109 | 2000B | SBR01 | Payer Responsibility Sequence Number Code | A-H, P, S, T, U | | |
| | | | Primary | P | 1 | |
| | | | Secondary | S | 1 | |
| | | | Tertiary | T | 1 | |
| 110 | 2000B | SBR09 | Claim Filing Indicator Code | 11-17, AM, BL, CH, CI, DS, FI, HM, LM, MA, MB, MC, OF, TV, VA, WC, ZZ | | |
| | | | Medicaid | MC | 2 | The value sent at this level should always be 'MC'. |
| 112 | 2010BA | NM1 | Subscriber Name | | | |

Nevada Medicaid Electronic Transaction Companion Guide:
 Institutional Health Care Claim: Fee for Service (837I)

| TR3 Page # | Loop ID | Reference | Name | Codes | Length | Notes/ Comments |
|---------------|---------|-----------|---|--------|--------|---|
| 113 | 2010BA | NM102 | Entity Type Qualifier | 1, 2 | | |
| | | | Person | 1 | 1 | |
| 113- 114 | 2010BA | NM108 | Identification Code Qualifier | II, MI | | |
| | | | Member Identification Number | MI | 2 | |
| 114 | 2010BA | NM109 | Identification Code | | 11 | 11-digit Nevada Medicaid Recipient ID. |
| 122 | 2010BB | NM1 | Payer Name | | | |
| 123 | 2010BB | NM103 | Name Last or Organization Name | DHCFP | 5 | |
| 124 | 2010BB | NM108 | Identification Code Qualifier | PI, XV | | |
| | | | Payer Identification | PI | 2 | |
| 124 | 2010BB | NM109 | Identification Code | NVMED | 5 | |
| 129 | 2010BB | REF | Billing Provider Secondary Identification | | | |
| 129 | 2010BB | REF01 | Reference Identification Qualifier | G2, LU | 2 | |
| 130 | 2010BB | REF02 | Reference Identification | | | |
| 143 | 2300 | CLM | Claim Information | | | |
| 144 | 2300 | CLM01 | Claim Submitter's Identifier | | | Patient Account Number Value received will be returned on the '835' Remittance Advice. |
| 145 | 2300 | CLM05-1 | Facility Type Code | | 2 | Value received is the 1st two positions of the Type of Bill (TOB). |

| TR3 Page # | Loop ID | Reference | Name | Codes | Length | Notes/ Comments |
|---------------|---------|-----------|-----------------------------------|---------------------|--------|--|
| 145 | 2300 | CLM05-3 | Claim Frequency Code | 1, 2, 3, 4, 7, 8 | 1 | <p>Value received is the 3rd position of the Type of Bill (TOB).</p> <p>Frequency Code also indicates whether the current claim is an original claim, an interim claim, a void, or an adjustment.</p> <p>Valid values are as follows:</p> <p>'1' = Original Claim</p> <p>'2' = Interim – 1st Claim</p> <p>'3' = Interim – Continuing Claim</p> <p>'4' = Interim – Last Claim</p> <p>'7' = Adjustment (Replacement of Paid Claim)</p> <p>'8' = Void (Credit only)</p> <p>The ICN to credit should be placed in the REF02 where REF01='F8' if the values of '7' or '8' are used.</p> <p>Providers must use the most recently paid ICN when voiding or adjusting a claim.</p> |
| 149 | 2300 | DTP | Discharge Hour | | | |
| 149 | 2300 | DTP01 | Date/Time Qualifier | 096 | 3 | |
| 149 | 2300 | DTP02 | Date Time Period Format Qualifier | TM | 2 | |
| 149 | 2300 | DTP03 | Date Time Period | | 4 | Time Expressed in Format HHMM |
| 150 | 2300 | DTP | Statement Dates | | | |
| 150 | 2300 | DTP01 | Date/Time Qualifier | 434 | 3 | |

| TR3 Page # | Loop ID | Reference | Name | Codes | Length | Notes/ Comments |
|---------------|---------|-----------|--|-------|--------|--|
| 150 | 2300 | DTP02 | Date Time Period Format Qualifier | RD8 | 3 | |
| 150 | 2300 | DTP03 | Date Time Period | | 17 | Dates Expressed in Format CCYYMMDD- CCYYMMDD. When the statement is for a single date of service, the from/through date are the same. |
| 153 | 2300 | CL1 | Institutional Claim Code | | | |
| 153 | 2300 | CL101 | Admission Type Code | | 1 | Required when patient is being admitted for inpatient services. |
| 153 | 2300 | CL102 | Admission Source Code | | 1 | Required for all inpatient and outpatient services when TOB (CLM05-1) = 11, 13, 14, 21, 22, 32 or 33. |
| 166 | 2300 | REF | Payer Claim Control Number | | | |
| 166 | 2300 | REF01 | Reference Identification Qualifier | F8 | 2 | |
| 166 | 2300 | REF02 | Reference Identification | | 16 | Enter the 16 digit last paid Internal Control Number (ICN) that Nevada Medicaid assigned to the claim. |
| 170 | 2300 | REF | Claim Identifier for Transmission Intermediaries | | | |
| 170 | 2300 | REF01 | Reference Identification Qualifier | D9 | 2 | F8 = Original Reference Number Adjust or void a claim (as indicated by CLM05-3). |
| 170 | 2300 | REF02 | Reference Identification | | 1/20 | |

Nevada Medicaid Electronic Transaction Companion Guide:
 Institutional Health Care Claim: Fee for Service (837I)

| TR3 Page # | Loop ID | Reference | Name | Codes | Length | Notes/ Comments |
|------------|---------|-----------|---|---------|--------|---|
| 184 | 2300 | HI | Principal Diagnosis | | | |
| 184-185 | 2300 | HI01-1 | Code List Qualifier Code | ABK, BK | 2/3 | ABK = ICD-10 Principal Diagnosis |
| 185 | 2300 | HI01-2 | Industry Code | | 3/7 | For ICD-10, length allowed is 3-7 |
| 187 | 2300 | HI | Admitting Diagnosis | | | |
| 188 | 2300 | HI01-1 | Code List Qualifier Code | ABJ, BJ | 2/3 | ABJ = ICD-10 Admitting Diagnosis |
| 188 | 2300 | HI01-2 | Industry Code | | 3/7 | For ICD-10, length allowed is 3-7 |
| 189 | 2300 | HI | Patient's Reason for Visit | | | Required when claim involves outpatient visits. |
| 190 | 2300 | HI01-1 | Code List Qualifier Code | APR, PR | 2/3 | APR = ICD-10 Patient's Reason for Visit Diagnosis |
| 190 | 2300 | HI01-2 | Industry Code | | 3/7 | For ICD-10, length allowed is 3-7 |
| 193 | 2300 | HI | External Cause of Injury | | | |
| 194 | 2300 | HI01-1 | Code List Qualifier Code | ABN, BN | 2/3 | ABN = ICD-10 External Cause of Injury Diagnosis |
| 218 | 2300 | HI | Diagnosis Related Group (DRG) Information | | | |
| 218 | 2300 | HI01-1 | Code List Qualifier Code | DR | 2 | |
| 219 | 2300 | HI01-2 | Industry Code | | 3/5 | |

| TR3 Page # | Loop ID | Reference | Name | Codes | Length | Notes/ Comments |
|---------------|---------|-----------|-----------------------------------|--------------|--------|--|
| 220 | 2300 | HI | Other Diagnosis | | | Other Diagnosis Codes that co-exist with the principal diagnosis co-exist at the time of admission or develops subsequently during member's treatment. The 837I allows for 2 Other Diagnosis Information segments for a total of 24 other diagnosis codes per claim. |
| 221 | 2300 | HI01-1 | Code List Qualifier Code | ABF, BF | 2/3 | ABF = ICD-10 Other Diagnosis |
| 221 | 2300 | HI01-2 | Industry Code | | 3/7 | For ICD-10, length allowed is 3-7 |
| 239 | 2300 | HI | Principal Procedure Information | | | |
| 240 | 2300 | HI01-1 | Code List Qualifier Code | BBR, BR, CAH | 2/3 | |
| 240 | 2300 | HI01-2 | Industry Code | | 3/7 | For ICD-10, length allowed is 3-7 |
| 240 | 2300 | HI01-3 | Date Time Period Format Qualifier | D8 | 2 | |
| 240 | 2300 | HI01-4 | Date Time Period | | 8 | Principal Procedure Date. (CCYYMMDD) |
| 242 | 2300 | HI | Other Procedure Information | | | |
| 243 | 2300 | HI01-1 | Code List Qualifier Code | BBQ, BQ | 2/3 | |
| 243 | 2300 | HI01-2 | Industry Code | | 3/7 | For ICD-10, length allowed is 3-7 |
| 243 | 2300 | HI01-3 | Date Time Period Format Qualifier | D8 | 2 | |
| 243 | 2300 | HI01-4 | Date Time Period | | 8 | Other Procedure Date. (CCYYMMDD) |

Nevada Medicaid Electronic Transaction Companion Guide:
 Institutional Health Care Claim: Fee for Service (837I)

| TR3 Page # | Loop ID | Reference | Name | Codes | Length | Notes/ Comments |
|---------------|---------|-----------|---|----------------|--------|----------------------------------|
| 319 | 2310A | NM1 | Attending Provider Name | | | |
| 321 | 2310A | NM109 | Identification Code | | 10 | Attending Provider NPI ID |
| 322 | 2310A | PRV | Attending Provider Specialty Information | | | |
| 322 | 2310A | PRV03 | Reference Identification | | 10 | Billing Provider Taxonomy Code |
| 324 | 2310A | REF | Referring Provider Secondary Identification | | | |
| 324 | 2310A | REF01 | Reference Identification Qualifier | 0B, 1G, G2, LU | | |
| 325 | 2310A | REF02 | Reference Identification | | | |
| 326 | 2310B | NM1 | Operating Physician Name | | | |
| 327 | 2310B | NM101 | Entity Identifier Code | 72 | 2 | |
| 328 | 2310B | NM109 | Identification Code | | 10 | Operating Physician NPI ID |
| 331 | 2310C | NM1 | Other Operating Physician Name | | | |
| 332 | 2310C | NM101 | Entity Identifier Code | ZZ | 2 | |
| 333 | 2310C | NM109 | Identification Code | | 10 | Other Operating Physician NPI ID |
| 334 | 2310C | REF | Referring Provider Secondary Identification | | | |
| 334 | 2310C | REF01 | Reference Identification Qualifier | 0B, 1G, G2, LU | | |
| 334 | 2310C | REF02 | Reference Identification | | | |
| 341 | 2310E | NM1 | Service Facility Provider Name | | | |
| 342 | 2310E | NM101 | Entity Identifier Code | 77 | 2 | |

Nevada Medicaid Electronic Transaction Companion Guide:
 Institutional Health Care Claim: Fee for Service (837I)

| TR3 Page # | Loop ID | Reference | Name | Codes | Length | Notes/ Comments |
|------------|---------|-----------|---|-----------------|--------|---|
| 342 | 2310E | NM109 | Identification Code | | 10 | Service Facility Provider NPI ID |
| 344 | 2310E | N3 | Service Facility Location Address | | | |
| 344 | 2310E | N301 | Address Information | | 1/55 | |
| 345 | 2310E | N4 | Service Facility Location City, State, Zip Code | | | |
| 346 | 2310E | N403 | Zip Code | | 9 | Service Facility Provider Zip Code + 4 postal code (excluding punctuation and blanks). |
| 349 | 2310F | NM1 | Referring Provider Name | | | Use this segment when the servicing provider type requires a referring NPI to be submitted on the claim. Information in this loop applies to the entire claim unless overridden on a service line by the presence of Loop ID- 2420D. |
| 350 | 2310F | NM101 | Entity Identifier Code | DN | 2 | |
| 351 | 2310F | NM109 | Identification Code | | 10 | Referring Provider NPI ID. |
| 354 | 2320 | SBR | Other Subscriber Information | | | If the recipient has Medicare or other coverage, repeat this loop for each other payer. Omit Nevada Medicaid coverage information. |
| 355 | 2320 | SBR01 | Payer Responsibility Sequence Number Code | A-H, P, S, T, U | | |
| | | | Primary | P | 1 | |
| | | | Secondary | S | 1 | |

Nevada Medicaid Electronic Transaction Companion Guide:
 Institutional Health Care Claim: Fee for Service (837I)

| TR3 Page # | Loop ID | Reference | Name | Codes | Length | Notes/ Comments |
|---------------|---------|---|--|---|--------|--|
| | | | Tertiary | T | 1 | |
| 356 | 2320 | SBR09 | Claim Filing Indicator Code | 11-17, AM, BL, CH, CI, DS, FI, HM, LM, MA, MB, MC, OF, TV, VA, WC, ZZ | 2 | |
| 358 | 2320 | CAS | Claim Level Adjustments | | 1/3 | For Inpatient: '1' – Deductible '2' – Coinsurance '66' – Blood Deductible Other external code source values from code source 139 are allowed. |
| 359-363 | 2320 | CAS02, CAS05, CAS08, CAS11, CAS14, CAS17 | Adjustment Reason Code | | 1/3 | If Adjustment Group Code (CAS01)=PR and Adjustment Reason Code value is: '1' enter the Medicare Deductible Amount. '2' enter the Medicare Coinsurance Amount. '66' enter the Medicare Blood Deductible. |
| 364 | 2320 | AMT | Coordination of Benefits (COB) Payer Paid Amount | | | |
| 364 | 2320 | AMT01 | Amount Qualifier Code | D | 1 | |
| 364 | 2320 | AMT02 | Payer Paid Amount | | 10 | |
| 384 | 2320 | NM1 | Other Payer Name | | | |
| 385 | 2330B | NM109 | Identification Code | | 2/80 | This number must be identical to the occurrences of the 2430-SVD01 to identify |

| TR3 Page # | Loop ID | Reference | Name | Codes | Length | Notes/ Comments |
|---------------|---------|-----------|-----------------------------------|--------------------|--------|---|
| | | | | | | the other payer if the 2430 loop is present. Note: The 2320/2330 Loop(s) can repeat up to 10 times for a single claim and the 2430 Loop can repeat up to 15 times for a single detail. |
| 389 | 2330B | DTP | Claim Check or Remittance Date | | | This segment must be absent if 2430 DTP is present. |
| 389 | 2330B | DTP01 | Date Claim Paid | 573 | 3 | |
| 389 | 2330B | DTP02 | Date Time Period Format Qualifier | D8 | 2 | |
| 389 | 2330B | DTP03 | Date Time Period | | 8 | TPL Adjudication Date (CCYYMMDD) |
| 423 | 2400 | LX | Service Line Number | | | |
| 423 | 2400 | LX01 | Line Counter | | | Nevada Medicaid will accept up to 999 lines per claim. |
| 424 | 2400 | SV2 | Institutional Service Line | | | |
| 424 | 2400 | SV201 | Service Line Revenue Code | | 4 | |
| 425 | 2400 | SV202-1 | Product/Service ID | ER, HC, HP, IV, WK | 2 | |
| 449 | 2410 | LIN | Drug Identification | | | |
| 451 | 2410 | LIN02 | Product or Service ID Qualifier | | | N4 = NDC |
| 451 | 2410 | LIN03 | National Drug Code | | | An NDC code is required when a J procedure code is billed in Loop 2400, Segment SV1, Data Element SV101-2. |
| 452 | 2410 | CTP | Drug Quantity | | | |

Nevada Medicaid Electronic Transaction Companion Guide:
 Institutional Health Care Claim: Fee for Service (837I)

| TR3 Page # | Loop ID | Reference | Name | Codes | Length | Notes/ Comments |
|---------------|---------|--|--|--------------------|--------|--|
| 452 | 2410 | CTP04 | National Drug Unit Count | | 8 | Enter the actual NDC quantity dispensed. |
| 453 | 2410 | CTP05-1 | Unit or Basis for Measurement Code | F2, GR, ME, ML, UN | 2 | |
| 454 | 2410 | REF | Prescription or Compound Drug Association Number | | | |
| 454 | 2410 | REF01 | Prescription or Compound Drug Association Number | XZ | 2 | |
| 471 | 2420D | NM1 | Referring Provider Name | | | Use this segment when the servicing provider type requires a referring NPI to be submitted on the claim and the referring provider differs from that reported at the claim level (loop 2310F). |
| 472 | 2420D | NM101 | Entity Identifier Code | DN | 2 | Referring Provider |
| 473 | 2420D | NM109 | Identification Code | | 10 | Referring Provider NPI ID |
| 476 | 2430 | SVD | Line Adjudication Information | | | |
| 476 | 2430 | SVD01 | Identification Code | | 2/80 | This number should the occurrence of the 2330B-NM109 identifying Other Payer. |
| 477 | 2430 | SVD02 | Service Line Paid Amount | | 1/10 | |
| 480 | 2430 | CAS | Claim Level Adjustments | | | |
| 482-484 | 2430 | CAS02, CAS05, CAS08, CAS11, CAS14, CAS17 | Adjustment Reason Code | | 1/3 | For Outpatient: '1' = Deductible Amount '2' = Coinsurance Amount |

Nevada Medicaid Electronic Transaction Companion Guide:
 Institutional Health Care Claim: Fee for Service (837I)

| TR3 Page # | Loop ID | Reference | Name | Codes | Length | Notes/ Comments |
|---------------|---------|--|-----------------------------------|-------|--------|---|
| | | | | | | '66' = Blood Deductible Other external code source values from code source 139 are allowed. |
| 486-489 | 2430 | CAS03, CAS06, CAS09, CAS12, CAS15, CAS18 | Adjustment Amount | | 10 | If Adjustment Group Code (CAS01)=PR and Adjustment Reason Code value is: '1' enter the Medicare Deductible Amount '2' enter the Medicare Coinsurance Amount '66' enter the Medicare Blood Deductible |
| 486 | 2430 | DTP | Claim Check or Remittance Date | | | |
| 486 | 2430 | DTP01 | Date/Time Qualifier | 573 | 3 | |
| 486 | 2430 | DTP02 | Date Time Period Format Qualifier | D8 | 2 | |
| 486 | 2430 | DTP03 | Date Time Period | | 8 | TPL Detail Level Adjudication Date (CCYYMMDD) |

Appendix A: Implementation Checklist

This appendix contains all necessary steps for submitting transactions with Nevada Medicaid.

1. Call the Nevada Medicaid EDI Helpdesk with any questions at (877) 638-3472 options 2, 0, and then 3 or send an email to: nvmmis.edisupport@dxc.com.
2. Check the Nevada Medicaid Provider Web Portal at www.medicaid.nv.gov regularly for the latest updates.
3. Review the Trading Partner User Guide which includes enrollment and testing information. This can be found on the EDI webpage at: <https://www.medicaid.nv.gov/providers/edi.aspx>.
4. Confirm you have completed your Trading Partner Agreement and been assigned a Trading Partner ID.
5. Make the appropriate changes to your systems/business processes to support the updated companion guides. If you use a third party software, work with your software vendor to have the appropriate software installed.
6. Identify the transactions you will be testing:
 - Health Care Eligibility/Benefit Inquiry and Information Response (270/271)
 - Health Care Claim Status Request and Response (276/277)
 - Health Care Claim: Dental (837D)
 - Health Care Claim: Institutional (837I)
 - Health Care Claim: Professional (837P)
7. Confirm you have registered all the NPIs on the Nevada Medicaid Provider Web Portal. If the entity testing is a billing intermediary or software vendor, they should use the provider's identifiers on the test transaction.
8. When submitting test files, make sure the recipients/claims you submit are representative of the type of service(s) you provide to Nevada Medicaid providers.

Appendix B: SNIP Edit (Compliance)

The Workgroup for Electronic Data Interchange (WEDI) Strategic National Implementation Process (SNIP) recommends seven types of testing to determine compliance with HIPAA. Nevada Medicaid has adopted this through SNIP Level 4 edits. At this level a claim's inter-segment relationships are validated. For example, if element A exists, then element B should be populated.

The following SNIP Level 4 edits are applied for 837I transactions:

| LOOP | MESSAGE |
|--------|---|
| 2010AA | 2010AA PER02 must be present for first iteration of PER |
| 2010AC | 2010AC can only be present when BHT06 = 31 |
| 2010AC | 2010AC NM108 = "XV" when 2010AC REF_2U present |
| 2010AC | 2320 AMT01 = "D" is required when 2010AC is used |
| 2000B | 2000C HL must be absent when 2000B SBR02 = "18" |
| 2000B | 2010BA N3 must be present when 2000B SBR02 = "18". |
| 2000B | 2010BA DMG must be present when 2000B SBR02 = "18". |
| 2000B | 2300 CLM loop req'd in 2000B when 2000B SBR02 = "18". |
| 2000B | 2010BA N4 must be present when 2000B SBR02 = "18". |
| 2000B | 2000C required when 2000 SBR02 = "18" is absent. |
| 2000B | 2320 SBR must be present when 2000B SBR01 = "P" |
| 2010BA | 2010BA N3 must be absent when SBR02 ="18" |
| 2010BA | 2010BA DMG must be absent when SBR02 = "18" |
| 2010BA | 2000B SBR02 = "18" must be present when 2010BA N4 is present |
| 2010BB | 2010BB NM108 = "XV" when 2010BB REF_2U present |
| 2010BB | 2010BB REF01 = "G2","LU" must be absent if 2010AA NM109 present |
| 2310A | 2310A REF_0B;1G;G2;LU must be absent if 2310A NM109 present |
| 2310B | 2310B REF_0B;1G;G2;LU must be absent if 2310B NM109 present |
| 2310C | 2310B is required when 2310C is used |
| 2310C | 2310C REF_0B;1G;G2;LU must be absent if 2310C NM109 present |
| 2310D | 2310D REF_0B;1G;G2;LU must be absent if 2310D NM109 present |
| 2310F | 2310F REF_0B;1G;G2 must be absent if 2310F NM109 present |
| 2330B | 2330B DTP must be absent if 2430 DTP present |
| 2420A | 2420A REF_0B;1G;G2;LU must be absent if 2420A NM109 present |
| 2420B | 2420B REF_0B;1G;G2;LU must be absent if 2420B NM109 present |

Nevada Medicaid Electronic Transaction Companion Guide:
Institutional Health Care Claim: Fee for Service (837I)

| | |
|-------|---|
| 2420C | 2420C REF_0B;1G;G2;LU must be absent if 2420C NM109 present |
| 2420D | 2420D REF_0B;1G;G2 must be absent if 2420D NM109 present |

Appendix C: Transmission Examples

This is an example of an 837I batch file containing two claims within the first transaction for the same provider, different members, and one claim within the second transaction. For Nevada Medicaid batch files have the ability to loop at the functional group, transaction and hierarchical levels. Each functional group within an interchange has to be the same transaction type.

```
ISA*00*      *00*      *ZZ*TPID1234      *ZZ*NVMED
*170528*1500*^^*00501*022963926*1*T*:~

GS*HC*TPID1234*NVMED*20170528*150021*22963926*X*005010X223A2~
ST*837*000000001*005010X223A2~
BHT*0019*00*000000001*20170528*150021*CH~
NM1*41*2*SUBMITTER INC*****46*12345678~
PER*IC*CONTACT NAME*TE*8001231234~
NM1*40*2*NEVADA MEDICAID*****46*NVMED~
HL*1**20*1~
PRV*BI*PXC*207P00000X~
NM1*85*2*BILLING PROVIDER HOSPITAL*****XX*BILLPNPI123~
N3*BILL PROV STREET~
N4*HENDERSON*NV*890143586~
REF*EI*BILLTAXID~
PER*IC*BILLCONTACT*TE*8001234567~
HL*2*1*22*0~
SBR*P*18*****MC~
NM1*IL*1*MEMLNAME*MEMFNAME****MI*MEMID123456~
N3*123 MEMBER STREET~
N4*HENDERSON*NV*89014~
DMG*D8*19520207*F~
NM1*PR*2*DHCFF*****PI*NVMED~
CLM*PATACT1*383.6***13:A:1**A*Y*Y~
DTP*434*RD8*20170820-20170822~
CL1*2*1*01~
REF*D9*TRACEREFNUMBER1~
REF*EA*MEDRECNUM~
HI*ABK:Z3800~
HI*APR: Z3800~
```

HI*BH:11:D8: 20170820~
NM1*71*1*PRVLNAME*PRVFNAM*****XX*PROVNPI123~
LX*1~
SV2*0403*HC:77052*42.3*UN*1~
DTP*472*D8*20170820~
LX*2~
SV2*0403*HC:77057*341.3*UN*1~
DTP*472*D8*20170820~
HL*3*1*22*0~
SBR*P*18*****MC~
NM1*IL*1*MLNAME*MFNAME*****MI*MEMID123456~
N3*456 MEMBER STREET~
N4*HENDERSON*NV*89014~
DMG*D8*19600616*F~
NM1*PR*2*DHCFP*****PI*NVMED~
CLM*PATACT2*589.6***13:A:1**A*Y*Y~
DTP*434*RD8*20170820-20170820~
CL1*1*1*01~
REF*D9*TRACEREFNUMBER2~
REF*EA*MEDRECNUM2~
HI*ABK:T161XXA~
HI*APR:T161XXA~
HI*BH:11:D8:20170820~
NM1*71*1*PRVLNAME*PRVFNAM*****XX*PROVNPI123~
NM1*72*1*PRVLNAME*PRVFNAM*****XX*PROVNPI456~
LX*1~
SV2*0250**84*UN*1~
DTP*472*D8*20170820~
LX*2~
SV2*0251**84*UN*1~
DTP*472*D8*20170820~
LX*3~
SV2*0450*HC:99282*421.6*UN*2~
DTP*472*D8*20170820~

SE*61*000000001~
ST*837*000000002*005010X223A2~
BHT*0019*00*000000002*20170528*150021*CH~
NM1*41*2*SUBMITTER INC*****46*12345678~
PER*IC*CONTACT NAME*TE*8001231234~
NM1*40*2*NEVADA MEDICAID*****46*NVMED~
HL*1**20*1~
PRV*BI*PXC*207P00000X~
NM1*85*2*BILLING HOSPITAL*****XX*BILLNPI789~
N3*123 SOUTH STREET~
N4*HENDERSON*NV*890143586~
REF*EI*TAXIDBILL~
PER*IC*CONTACT*TE*8001234567~
HL*2*1*22*0~
SBR*P*18*****MC~
NM1*IL*1*MEMLNAM*MFNAM*C***MI*MEMID987654~
N3*STREET MEMBER~
N4*HENDERSON*NV*89014~
DMG*D8*19511222*M~
NM1*PR*2*DHCFF*****PI*NVMED~
CLM*ACCTNUM*60.1***13:A:1**A*Y*Y~
DTP*434*RD8*20170914-20170914~
CL1*2*1*01~
REF*D9*TRACEREFNUMBER3~
REF*EA*MEDRECNUM3~
HI*ABK:Z4802~
HI*APR: Z4802~
HI*BH:11:D8:20170914~
NM1*71*1*PRVLNAME*PRVFNAME*****XX*PROVNPI123~
LX*1~
SV2*0250**6.4*UN*1~
DTP*472*D8*20170914~
LX*2~
SV2*0272**53.7*UN*4~

DTP*472*D8*20170914~

SE*35*000000002~

GE*2*22963926~

IEA*1*022963926~

Appendix D: Frequently Asked Questions

This appendix contains a compilation of questions and answers relative to 837 Institutional claims submitted to Nevada Medicaid.

Q: As a Trading Partner or clearinghouse, who should I contact if I have questions about testing, specifications, Trading Partner enrollment or if I need technical assistance with electronic submission?

A: After visiting the EDI webpage located at: <https://www.medicaid.nv.gov/providers/edi.aspx> if you still have questions regarding EDI testing and Trading Partner enrollment, support is available Monday through Friday 8 a.m.-5 p.m. Pacific Time by calling toll-free at (877) 638-3472 option 2, 0, and then 3. You can send an email to nvmmis.edisupport@dxc.com.

Q: Who should I contact if I have questions pertaining to billing or to check on the status of a submitted claim?

A: Trading Partners should contact the Customer Service Center for any non-EDI related questions at (877) 638-3472 and follow the prompts for the department you wish to speak with.

Q: How do I request and submit EDI files through the secure Nevada Medicaid SFTP server in production?

A: Once you have satisfied testing, you will receive an approval letter via email, which will contain the URL to connect to production.

Q: What types of acknowledgement reports will Nevada Medicaid return following EDI submission?

A: A TA1 will be generated when errors occur within the interchange envelope ISA/IEA. A 999 acknowledgement will be returned on an 837I batch. If the Trading Partner is approved for 835s and the provider has registered the Trading Partner to receive the files, an 835 (ERA) will be returned to the payee provider or Trading Partner delegated by the provider if the claims were accepted electronically and forwarded for claims adjudication.

Q: Where can I find a copy of the HIPAA ANSI TR3 documents?

A: The TR3 documents must be purchased from the Washington Publishing Company at www.wpc-edi.com.